

*Shaping plastics beyond
the obvious*



Materials Handling Products



Round containers



Conical containers

Description: Container with lid. Made of low density polyethylene.

Steel-rack made of plastic-coated steel with wheels are available for both containers.

No.	Ext. A	Int. B	Int. bottom C	Height D	Height w/lid E	Height w/rack F	Litres	Kg	
0001	45	40	33	49	55	63	50	4	
0002	50	46	40	54	60	70	75	5	
0003	50	46	40	71	77	87	100	6	
5001	Plastic coated steel ring w/grip for no. 0001								1
5002	Plastic coated steel ring w/grip for no. 0002 and 0003								1
3001	Trolley for 0001								2
3002	Trolley for 0002 and 0003								2
5589	Wheels for trolley 3001 and 3002								
5595	Pin wheels for trolley, rubber, 75 mm, 19 mm pin								



Conical transport containers

Description: Made of low density polyethylene. As a transport container, it must be fitted with a plastic-coated steel ring, lid and stainless steel clamp ring.

Steel rack made of plastic-coated steel with wheels are available for all three containers.

No.	Ext. A	Int. B	Int. bottom C	Height D	Height w/lid E	Height w/rack F	Litres	Kg	
0002	50	46	40	54	55	65	75	5	
0003	50	46	40	71	72	82	100	6	
2005	Flat lid								1
5003	Plastic coated steel ring - art. 500000104								1
5007	Galvanized steel ring with handle - art. 500000106								1
5005	Stainless steel clamping ring - art. 500000105								1
3002	Trolley for 0002 and 0003								2



Silo

Description: Made in low density polyethylene with a closed top and bottom. On No. 136 the center of the top bearing is fitted with 1 PC screw cap with an opening of 145 mm. The silo can be equipped with hydrants and valves up to 2" for individual mounting.


Rack of galvanized steel can be supplied. When mounting on a rack, the bottom of the silo is raised 90 cm above the floor.

No.	Ext. A	Int. B	Int. bottom C	Height D	Height w/lid E	Height w/rack F	G	Litres	Kg	
0135	77	76	20	106	48			560	23,0	
3135	Tripod	90				196	244		50,0	
6041	160 mm slide gate									
7041	Quick-connect coupler for slide gate									



Measurement

- All measurements are approx. cm +/- 5%.
- The weight given in approx. kg +/- 10%.
- Contents are given in approx. litres.



indv. bund

Cylindrical open containers

Description: Container with lid. Made of low density polyethylene, No. 19, 30 and 36 are provided with rounded top edge - the other is straight edge.

Lids are included for all containers.

No.	Ext. A	Int. B	Height D	Height w/lid E	Litres	Kg
0016	36	35	50	51	40	3
0034	38	35	76	77	70	4 Replace
0036	47	43	83	84	110	7 Replace
0019	57	50	67	68	130	7
0030	67	61	67	68	190	8
0037	55	52	102	103	210	11
0035	76	73	101	110	400	20
3045	Trolley for 0037					
5585	Wheels for trolley 3045					
3022	Trolley for 0035					
5604	Wheels for trolley 3022					
5604	Disk wheel, turnable for 3022-3020					



Cylindrical open containers

Description: Made of low density polyethylene and the upper edge is rounded.

Lids are included.

Steel rack made of plastic-coated steel with wheels can be delivered to art. no. 0022.

No.	Ext. A	Int. B	Height D	Height w/lid E	Litres	Kg
0020	74	66	91	92	300	12
0022	90	82	112	113	580	19
0026	104	98	114	115	850	32
0027	104	98	155	156	1.150	43
3020	Trolley for 0020					
3022	Trolley for 0022					
5604	Disk wheel, turnable for 3020 + 3022					



Cylindrical sealed containers




Description: Made of low density polyethylene and the upper bearing with 1 PC screw cap having an opening of 145 mm.

No.	Ext. A	Height D	Height w/lid E	Litres	Kg
0045	51	67	72	120	8



Measurement

- All measurements are approx. cm +/- 5%.
- The weight given in approx. kg +/- 10%.
- Contents are given in approx. litres.



Rectangular tanks

For transportation, storage, production, etc.



Rectangular tanks

Description: Made of low density polyethylene and the upper edge is rounded.

Lid included.

Rack of plastic coated steel pipes can be delivered.

Wheels: 75 mm art. no. 5595/5594 can be mounted on rack.

No.	Ext. A	Int. B	Height D	Height w/rack F	Liter	Kg	
0080	88 x 57	81 x 50	40	80	160	9	
0082	106 x 56	100 x 49	45	80	220	13	
0083	140 x 65	131 x 55	45	80	325	16	
3080	Trolley for 0080						6,0
3082	Trolley for 0082						6,5
3083	Trolley for 0083						11,5
5594	Pin wheels for trolley, rubber, 75 mm, 19 mm pin, with brake						
5595	Pin wheels for trolley, rubber, 75 mm, 19 mm pin						



Conical tanks

Description: Made of low density polyethylene and the upper edge is rounded.

Lid included.

Rack of plastic coated steel pipes can be delivered.

Wheels: 75 mm art. no. 5585 can be mounted on the tripod.

No.	Ext. A	Int. B	Int. bottom C	Height D	Height w/stand F	Litres	Kg
0102	58 x 47	50 x 40	46 x 36	32	80	60	4
3102	Trolley for 0102						4
5585	Pin wheels for trolley, rubber, 75 mm, 16 mm expander						



Conical tanks

Description: Made of low density polyethylene and the upper edge is rounded.

Lid included.




Rack of plastic coated steel pipes can be delivered.

Nr.	Ext. A	Int. B	Int. C	Bot. height D	Height w/lid E	Height w/stand F	Liter	Kg
0106	52 x 33	47 x 27	45 x 25	65	68	79	75	5
3106	Rack on wheels for no. 0106						5	
5600	Wheel, 75 mm, solid							
5601	Wheel, 75 mm, turnable							



Measurements

- All measurements are approx. cm +/- 5%.
- Weight are given in approx. kg +/- 10%.
- Contents are given in approx. litres.



Conical tanks

Description: Made of low density polyethylene and the upper edge is rounded.

Lid included.

Rack of plastic coated steel pipes can be delivered.

Wheels: 75 mm art. no. 5595/5594 can be mounted on racks.

Nr.	Ext. A	Int. B	Int. bottom C	Height D	Height w/lid E	Height w/stand F	Liter	Kg	
0064	86 x 66	78 x 58	68 x 50	70	74	80	270	15,0	
3062	Stand for no. 0062							4,5	To end
3063	Stand for no. 0063							4,5	To end
3064	Stand for no. 0064							5,0	



Trolley for bottles etc.

Container no. 0064 fitted with wheels and is widely used for the transport of empty bottles in supermarkets, but has many other uses used.

5066	Installation of 4 wheels and drain 1 "
5067	Installation of 4 wheels
500000601	Non-flexible wheels Ø100
500000602	Flexible wheels Ø100



Rectangular tanks

Description: Made of low density polyethylene and the upper edge is rounded.

Lid included.

Rack of plastic coated steel pipes can be delivered.

Wheels: 75 mm art. no. 5595/5594 can be mounted on the rack.

No.	Ext. A	Int. B	Height D	Height w/stand F	Litres	Kg
0107	77 x 46	71 x 40	31	80	80	6
0105	108 x 58	101 x 51	22	80	100	7 To end
0536	108 x 79	100 x 70	20		140	10 To end
3105	Stand for no. 0105					6,0 To end
3107	Stand for no. 0107					5,5
5854	Bottom clog					



Industrial container

Description: Made of low density polyethylene and the upper edge is rounded.

Lid included.

Rack of plastic coated steel pipes can be delivered.

No.	Ext. A	Int. B	Height D	Height w/stand F	Litres	Kg
0088	167 x 107	153 x 92	92	93	1.290	45
3088	Stand for no. 0088					48



Closed containers

Description: Made of low density polyethylene.

Tank no. 0152 and 0168 is equipped with a screw cap with the opening of 145 mm.


The remaining tanks can be delivered with threads and 145 mm screwed-on lid no. 2405, and various fittings for individual mounting.

No.	A	D	F	Litres	Kg
0165	40 x 40	32		48	3 To end
0163	80 x 40	32		96	6
0167	87 x 55	40		180	11
0168	87 x 55	40	46	180	12
0151	79 x 59	79		360	17
0152	79 x 59	79	85	360	18



Measurements

- All measurements are approx. cm +/- 5%.
- Weight are given in approx. kg +/- 10%.
- Contents are given in approx. litres.



710 litres pallet tank with recess, no. 0058

Description: Pallet tank with lid. Made of low density polyethylene with a recess for mounting the drain valve and equipped with 1 PC countersunk screw cap/lid. Tank opening 145 mm. Wall thickness 7 mm.

Standard EUR-plastic- or wooden pallet.

Pallet frames no. 3653 in wood.

To protect the tank use 5 PCs pallet frames, the bottom unit is pierced for the operation of the valve

If the pallet tank contains liquids with a density above 1.3 a u-shaped brace is recommended.

A	D	E	F	Kg
115 x 75	93	120 x 80	112	35



850 litres pallet tank with recess and manhole no. 0053

Description: Pallet tank with lid. Made of low density polyethylene having a recess for mounting the drain valve and provided with manhole with an aperture of 400 mm. Wall thickness 7 mm. Lid for the manhole can be attached with a sharp tension ring made of stainless steel.

To be emptied with drain valve.

Pallet: No. 3650 special wooden pallet 128x88 cm.

Pallet frames in wood no. 3651 with folding. To protect the tank use 5 PCs frames of which the bottom is pierced for the operation of the outlet valve.


If the pallet tank contains liquids with a density above 1.3 a u-shaped brace is recommended.

A	D	E	F	Kg
122 x 82	92	128 x 88	119	40



Measurements

- All measurements are approx. cm +/- 5%.
- Weight are given in approx. kg +/- 10%.
- Contents are given in approx. litres.




Thermoli® insulated/ thermal boxes

Thermoli® thermal boxes suitable for storage and transportation of fresh fish, meat etc.

For fish, place the fish in a mixture of ice and sea water in the box, the fish are cooled to 2 °C in 20 min. and 0°C of less than 2 hours.

This ensures a very high quality even after 4-5 days of storage in Thermoli thermal boxes. In addition to rapid cooling, the fish is never compressed or crushed in iced water.

Thermoli® thermal boxes are tested on land and at sea by the Danish Ministry of Fishery Experimental laboratory and in several other countries.



Cooling values during outside air temperature of approx. 23°-26° C. The test is conducted in June.

Curve D shows a very clear advantage of using the isolated thermal boxes filled with a mixture of ice and water to cool the catch as soon as possible.



Curve	Method	Ratio fish:ice	Cooling to 2°C.	The filling of ice
A	Normal icing in plastic boxes	2:1 - 4:1	More than 2 hours	Several times each day
B	Normal icing in plastic boxes	2:1 - 1:1	Over 2 hours	Several times each day
C	Normal icing in plastic boxes	Less water 1:1	Over 2 hours	Several times each day
D	Mixture of ice and seawater in isolated Thermoli® Thermal box	Thermoli® Termoboks filled with approx. 40% ice/water	20 minutes and less than 2 hours at 0°C	Approx. each 4. - 5. day

Thermal box

For transportation of temperature sensitive products, we have developed Thermoli® insulated/thermal box in 3 sizes.

Measurements

- All measurements are approx. cm +/- 5%.
- Weight are given in approx. kg +/- 10%.
- Contents are given in approx. litres.



No.	Description	Dimension (mm)	Weight (gram)	K Cal	Freezing-point	Temperature-range
1131	Keel, orange jam	480x280x33	3.900	270	+2°C	+5°C to +5°C
1132	Frost, blue plug	480x280x33	4.300	240	+21°C	+25°C to +15°C
1133	Keel, orange jam	620x380x33	7.000	480	+2°C	+5°C to +5°C
1134	Frost, blue plug	620x380x33	7.800	420	+21°C	+25°C to +15°C
1135	Keel, orange jam	800x600x33	13.900	840	+2°C	+5°C to +5°C
1136	Frost, blue plug	800x600x33	14.200	770	+21°C	+25°C to +15°C

Thermal box 70 liters

Application: Transport and storage of temperature sensitive products. The box fits standard EUR-pallets and can be stacked with most 60x40 cm stack of boxes.

Description: Made of low density polyethylene, approved for food. The inner and outer box is molded in one piece; the cavity between the walls is filled with high-insulation foam.

Cover: Double-walled, foam filled included.

No.	Ext. A	Int. B	Int. bottom C	Height D	Height w/lid E	Int. height G	Litres	Kg
0130	60 x 40	52 x 32	50 x 30	51	54	43	70	13



Thermal box 200 liters

Application: Transport and storage of temperature sensitive products.

Description: Made of low density polyethylene, approved for food. The inner and outer box is molded in one piece; the cavity between the walls is filled with high-insulation foam.

Cover: Double-walled, foam filled included.

No.	Ext. A	Int. B	Int. bottom C	Height D	Height w/lid E	Int. height G	Litres	Kg
0131	78 x 62	68 x 52	64 x 48	72	76	62	200	28



Thermal box 450 liters

Application: Transport and storage of temperature sensitive products.

Fits standard EUR-pallet.

Description: Made of low density polyethylene, approved for food. The inner and outer box is molded in one piece; the cavity between the walls is filled with high-insulation foam.

Lid: Doublelayered and foam-filled lid included.

No. 0134 Thermal box with pallet leg

No.	Ext. A	Int. B	Int. bottom C	Height D	Height w/lid E	Int. height G	Litres	Kg
0132	120 x 80	109 x 69	105 x 65	71	75	60	450	46



Acid containers and pails

For storage and transport of liquids. Also UN approved for hazardous chemicals.

Stackable acid containers

Description: Rectangular acid container made of low density polyethylene and at the top provided with a screw cap carrying handle. The bottom is in the center arch, which makes stackable containers.

Lid: Screw caps included. Opening: 45 mm.

No.	A	D	E	Litres	Kg
0262	39 x 29	50	57	50	4,6
5968	Nipple connector (must be welded on)				
5978	End sleeve				



Stackable acid containers

Description: Rectangular acid container made of low density polyethylene and at the top provided with a screw cap carrying handle.

Lid: Screw caps included. Opening: 134 mm.

No.	A	D	Litres	Kg
0201	21 x 21	39	12	2,5



Dosing container

Description: Dose Containers of various sizes made of impact resistant LLDPE plastic without casting edges. They are also resistant to chemicals, making them particularly suitable in the chemical industries and for storing food.



Lid: Screw caps included. Filling opening: 132 mm

No.	A	E	B	Litres
CV 6-05	40	57	15	60
CV 10-05	48	67	15	100 (also with black screw cap)
CV 20-05	59	83	15	200
CV 30-05	67	94	15	300
CV 50-05	78	113	15	500 To end



Measurements

- All measurements are approx. cm +/- 5%.
- Weight are given in approx. kg +/- 10%.
- Contents are given in approx. litres.



Other products

A series of special articles for household, garden waste etc.

Spill-up

Description: from low density polyethylene and is provided with a hinged lid, when open full access is provided to the container. Spill-up is available with and without wheels.

Color: White - green - yellow - blue - red.

No.	Ext. A	Int. B	Height D	Height w/lid E	Height w/wheels F	Litres	Kg
0110	52 x 31	48 x 27	64	65	70	80	5
5588	Wheels for Spill-up						
1110	Plastic bags for no. 0110 (48/15x90 cm.)						
1112	Plastic bags for no. 0112 (58/15x110 cm.)						
6008	Hinge joint for 0110 (x2 per container)						
6009	Hinge joint for 0112 (x2 per container)						



Waste bins

Description: Made of low density polyethylene and can be equipped with two heavy galvanized carrying handles.

Lid: Included.

Colour: Dark Green.

No.	Ext. A	Int. B	Int. bottom C	Height D	Height w/lid E	Litres	Kg
0538	47 x 47	44 x 44	40 x 40	62	64	100	9
3538	Trolley						
6016	Handle (x2 per container)						



Ballot box

Description: Made of low density polyethylene and can be equipped with two heavy galvanized carrying handles.

Lid: Included.


Color: Grey (541-02) or yellow (541-06)

No.	Ext. A	Int. B	Int. bottom C	Height D	Height w/lid E	Litres	Kg
541-02	47 x 47	44 x 44	40 x 40	62	64	100	9
541-06	47 x 47	44 x 44	40 x 40	62	64	100	9
2538	Lid for no. 541-02 og nr. 541-06						



Measurements

- All measurements are approx. cm +/- 5%.
- Weight are given in approx. kg +/- 10%.
- Contents are given in approx. litres.



Valves - fittings

Almost all of our vessels and containers can individually fitted with taps and fittings



GF-PVC ball valves with female pipe thread

No.	RG	Gasket
5912	1/2"	EPDM
5913	3/4"	EPDM
5914	1"	EPDM
5915	1 1/2"	EPDM
5916	2"	EPDM
5917	1/2"	FPM
5918	3/4"	FPM
5919	1"	FPM
5920	1 1/2"	FPM
5921	2"	FPM

RG = Interior threads




PVC feed through

With nut for opening through the container/tank for installation of valves and piping. Internal and external threads.

No. 5942 is with male 1" pipe thread in PE..

No.	5940	5941	5942
Size	1/2" x 1"	3/4" x 1" udv. x 11/4"	


No.	5943	5944	5945
Size.	1" x 11/4"	11/2" x 2" 2" x 23/4"	



Chromed brass feed through

With nut for opening through the container/tank for installation of valves and piping. External thread, incl. 37 mm plug.

No.	5854
Size	11/4"




Socket connector

With an internal thread for welding to the container, for easier assembly work.

No.	5955	5956	5957
Size	1/2"	3/4"	1"

No.	5958	5959	5960
Size	11/4"	11/2"	2"




Nipple connector

With external thread of the container for welding, for easier assembly work.

No.	5965	5966
Size	1"	11/4"

No.	5967	5968
Size	11/2"	2"




Hose connector

With external thread.

No.	5870	5871	5872
Size	1/2" x 20	3/4" x 25	1" x 30

No.	5869	5873	5874
Size	11/4" x 40	11/2" x 50	2" x 60




Hose connector

With threaded nut.

No.	5970	5971	5972
Size	1/2" x 16	3/4" x 20	1" x 25

No.	5969	5973	5974
Size	11/4" x 30	11/2" x 40	2" x 50




End sleeve

With internal thread for closing the feed through and socket connector.

No.	5975	5976
Size	1"	11/4"

No.	5977	5978
Size	11/2"	2"



End sleeve with chain

No.	5979
Size	1"




Screw closure

With external thread for closing the connector.

No.	5880	5881	5882
Size	1/2"	3/4"	1"

No.	5883	5884	5885
Size	11/4"	11/2"	2"




Angle

With internal thread.

No.	5887	5888	5889
Size	1/2"	3/4"	1"

No.	5890	5891	5892
Size	11/4"	11/2"	2"




Connector

With 2 external threads. Used as a transition unit from interior to exterior threads.

No.	5990	5991	5992
Size	1/2"	3/4"	1"


No.	5993	5994	5995
Size	11/4"	11/2"	2"



Pin wheel 75 mm / with 19 mm pin

Equipped with expander suitable for mounting on all standard racks below 400 litres volume.


No.	5594	w/brake
5595		



Pin wheel 75 mm / with 16 mm pin

Equipped with expander suitable for mounting on all standard racks below 400 litres volume.


No.	5584	w/brake
5585		



Disc wheels 100 mm with polyurethane

for mounting on small containers.


No.	5591	pivotable
5592	fixed	
5593	pivotable w / brake	



Disc wheels, nylon

For mounting on tanks, containers and racks.

		100 mm	125 mm
No.	pivotal	5596	5598
No.	fixed	5597	5599



PVC hose

Acid-resistant, transparent clear hose
Available by the meter.

No.	5935	5936
Size	3/4" x 20	1" x 25

No.	5937	5938	5939
Size	11/4" x 32	11/2" x 40	2" x 50

Price list - from 1/1-2015

Olitec no.	Promens no.	Description	Price / pcs	
500000000	0001-03	Conical container 50 L white w/lid	DKK	445,00
500000001	0002-03	Conical container 75 L white w/lid	DKK	598,00
500000003	0003-03	Conical container 100 L white w/lid	DKK	630,00
500000004	0004-03	Conical container 100 L black w/lid	DKK	630,00
500000009	0016-03	Round open container 40 L white w/lid	DKK	540,00
500000012	0019-03	Round open container 130 L white w/lid	DKK	819,00
500000015	0020-03	Round open container 300 L white w/lid	DKK	1525,00
500000016	0020-93	Round open container 300 L black w/lid	DKK	1525,00
500000018	0022-03	Round open container 580 L white w/lid	DKK	2425,00
500000019	0022-93	Round open container 580 L black w/lid	DKK	2425,00
500000020	0026-03	Round open container 850 L white w/lid	DKK	3950,00
500000021	0027-03	Round open container 1150 L white w/lid	DKK	4712,00
500000013	0030-03	Round open container 190 L white w/lid	DKK	1152,00
500000010	0034-03	Round open container 70 L white w/lid	DKK	479,00
500000017	0035-03	Round open container 400 L white w/lid	DKK	1744,00
500000011	0036-03	Round open container 110 L white w/lid	DKK	686,00
500000014	0037-03	Round open container 210 L white w/lid	DKK	1036,00
500000022	0045-03	Round closed container 120 L w/lid	DKK	836,00
500000034	0064-03	Conical tank 270 L white w/lid	DKK	1905,00
500000039	0080-03	Rectangular tank 160 L white w/lid	DKK	1356,00
500000040	0082-03	Rectangular tank 220 L white w/lid	DKK	1729,00
500000041	0083-03	Rectangular tank 325 L white w/lid	DKK	2252,00
500000042	0088-03	Industrial tank 1290 L white w/lid	DKK	5119,00
500000030	0102-03	Conical vessel 60 L white w/lid	DKK	678,00
500000036	0105-03	Rectangular tank 100 L white w/lid	DKK	1027,00
500000038	0536-03	Rectangular tank 140 L white	DKK	1070,00
500000031	0106-03	Conical tank 75 L white w/lid	DKK	748,00
500000035	0107-03	Rectangular tank 80 L white w/lid	DKK	869,00
500000050	0110-03	Spill-up container 80 L white w/lid	DKK	690,00
500000023	0135-03	Silo 560 L white	DKK	2154,00
500000065	0151-03	Closed container 360 L white	DKK	1553,00
500000066	0152-03	Closed container 360 L white w/screw lid	DKK	1565,00
500000061	0163-03	Closed container 96 L white	DKK	676,00
500000060	0165-03	Closed container 48 L white	DKK	417,00
500000062	0167-03	Closed container 180 L white	DKK	840,00
500000063	0167-23	Closed container 180 L dark grey	DKK	1053,00
500000064	0168-03	Closed container 180 L white w/screw lid	DKK	1008,00
500000070	0180-04	Dosing container 60 L white w/lid	DKK	662,00
500000071	0181-04	Dosing container 100 L white w/black lid	DKK	886,00
500000072	0182-04	Dosing container 200 L white w/lid	DKK	1107,00
500000073	0183-04	Dosing container 300 L white w/lid	DKK	1573,00
500000074	0184-04	Dosing container 500 L white w/lid	DKK	3670,00
500000078	0201-03	Acid container 12 L white w/lid	DKK	298,00
500000079	0262-03	Acid container stackable 50 L white w/lid	DKK	518,00
500000087	0538-43	Waste bucket 100 L green w/lid	DKK	775,00
500000080	0541-23	Ballot box 100 L grey w/lid	DKK	1344,00
500000081	0541-63	Ballot box 100 L yellow w/lid	DKK	1344,00
500000086	ICMC30004	Drumstation Type L (2 drums)	DKK	1785,00
500000068	0058-03	Pallet tank w/recess 710 L	DKK	2692,00
500000069	0053-03	Pallet tank w/recess and manhole 850 L	DKK	2909,00
108140003	ZZME0005	Thermoli thermal insulated box 70 L w/lid	DKK	2217,00
108140075	ZZME0004	Thermoli thermal insulated box 200 L w/lid	DKK	3580,00
108140086	ZZME00013	Thermoli thermal insulated box 450 L w/lid	DKK	5640,00
108140139		Thermal element 70 L /min. order 500 PCs	DKK	280,00
108140070		Thermal element 200 L	DKK	426,00
108140118		Thermal element 450 L /min. order 96 PCs	DKK	928,00

Price list - from 1/1-2015

Olitec no.	Promens no.	Description	Price / pcs		
Accessories					
500000113	3001-09	Trolley for 0001	DKK	1460,00	
500000090	3020-09	Trolley for round open container 300+500 L	DKK	3570,00	
500000091	3063-09	Trolley for conical tank 200 L	DKK	1480,00	
500000092	3080-09	Trolley for rectangular tank 160 L	DKK	1501,00	
500000093	3082-09	Trolley for rectangular tank 220 L	DKK	1853,00	
500000094	3083-09	Trolley for rectangular tank 325 L	DKK	3754,00	
500000095	3106-09	Trolley for conical tank 75 L	DKK	1983,00	
500000115	3062-09	Trolley for conical tank 90 L	DKK	1786,00	
500000096	3107-09	Trolley for rectangular tank 80 L	DKK	2249,00	
500000097	3105-09	Trolley for rectangular tank 100 L	DKK	1523,00	
500000132	3102-09	Trolley for conical tank 60 L	DKK	2034,00	
500000100	3002-09	Trolley for containers 75 and 100 L	DKK	1728,00	
500000103	5001-09	Steel ring with handles for 0001	DKK	450,00	
500000098	5002-09	Steel ring with handles for 0002, 3, 5	DKK	450,00	
500000101	3650-09	Wooden pallet special sizes for 0053	DKK	468,00	
500000102	3650-09	Pallet frame in wood, collapsible for 0053	DKK	398,00	
500000114		Locking collar 0053	DKK	1428,00	
500000104	5003-09	Plastics ring 0002, 3, 5	DKK	298,00	
500000105	5005-09	Stainless steel clamping ring for 0002, 3, 5	DKK	550,00	
500000106	5006-09	Stainless ring 0003	DKK	249,00	To end
500000107	5588-09	Wheels for Spill-up	DKK	52,00	
500000108	5589-09	Wheel for trolley 3001 and 3002	DKK	28,00	
500000130	1110-29	Plastic bag 475/15x90 cm (300 pcs./box)	DKK	750,00	
500000131	1112-29	Plastic bag 580/15x110 cm (300 pcs./box)	DKK	1050,00	
500000563	2005-03	Flat lid for 0002, 3, 5	DKK	113,00	
500000564	2053-03	Lid with gasket for pallet tank 850 L	DKK	198,00	
500000600	5585-09	Pin wheel, nylon/rubber 75mm, 19mm bolt	DKK	67,00	
500000601	5591-09	Wheel, poly. 100mm swivel	DKK	175,00	
500000602	5592-09	Wheel, poly. 100mm fixed	DKK	159,00	
500000603	5593-09	Wheel w/brake 100mm swivel	DKK	325,00	
500000604	5594-09	Wheel w/brake 75mm, 19mm bolt	DKK	185,00	
500000605	5595-09	Wheel, rubber 75mm, 19 mm bolt	DKK	123,00	
500000606	5600-09	Wheel, 75 mm, solid, t/3106	DKK	82,00	
500000607	5601-09	Wheel, 75 mm, swivel, t/3106	DKK	82,00	
500000608	5602-09	Wheel, swivel to 3045, light gray, 100mm	DKK	110,00	
500000609	5604-09	Wheel to 3022-3020	DKK	120,00	
500000517	5870-09	Hose w / thread ½ "x 20	DKK	25,00	
500000518	5871-09	Hose w / thread ¾ "x 25	DKK	30,00	
500000519	5873-09	Hose w / thread 1 "x 30	DKK	40,00	
500000533	5869-09	Hose w / thread 1 ¼ "x 40	DKK	47,00	
500000521	5873-09	Hose w / thread 1 ½ "x 50	DKK	81,00	
500000522	5874-09	Hose 2 "x 60	DKK	101,00	
500000535	5880-09	Screw plug 1/2"	DKK	23,00	
500000536	5881-09	Screw plug 3/4"	DKK	24,00	
500000537	5882-09	Screw plug 1"	DKK	27,00	
500000538	5883-09	Screw plug 1 1/4"	DKK	35,00	
500000539	5884-09	Screw plug 1 1/2"	DKK	47,00	
500000540	5885-09	Screw plug 2"	DKK	50,00	
500000541	5887-09	Angle 1/2"	DKK	26,00	
500000542	5888-09	Angle 3/4"	DKK	32,00	
500000543	5889-09	Angle 1"	DKK	35,00	
500000544	5890-09	Angle 1 1/4"	DKK	55,00	
500000545	5891-09	Angle 1 1/2"	DKK	81,00	
500000546	5892-09	Angle 2"	DKK	121,00	

Olitec no.	Promens no.	Description	Price / pcs	
500000547	5912-09	Ball valve PVC ½"	DKK	112,00
500000548	5913-09	Ball valve PVC ¾"	DKK	122,00
500000520	5914-09	Ball valve PVC 1"	DKK	129,00

Price list - from 1/1-2015

500000549	5915-09	Ball valve PVC 1 1/2"	DKK	234,00
500000550	5916-09	Ball valve PVC 2"	DKK	395,00
500000500	5940-09	Feed through PVC 1/2" x 1"	DKK	194,00
500000501	5941-09	Feed through PVC 3/4" x 1"	DKK	208,00
500000506	5942-09	Feed through PVC 1" ext. x 1 1/4"	DKK	221,00
500000502	5943-09	Feed through PVC 1" x 1 1/4"	DKK	221,00
500000503	5944-09	Feed through PVC 1 1/2" x 2"	DKK	240,00
500000504	5945-09	Feed through PVC 2 x 2 3/4"	DKK	256,00
500000562	5949-09	Feed through 3/4" x 5/4" x 1"	DKK	200,00
500000507	5955-09	Socket connector 1/2"	DKK	95,00
500000508	5956-09	Socket connector 3/4"	DKK	95,00
500000509	5957-09	Socket connector 1"	DKK	105,00
500000510	5958-09	Socket connector 1 1/4"	DKK	129,00
500000511	5959-09	Socket connector 1 1/2"	DKK	112,00
500000512	5960-09	Socket connector 2"	DKK	116,00
500000513	5965-09	Nipple stud 1"	DKK	94,00
500000514	5966-09	Nipple stud 1 1/4"	DKK	95,00
500000515	5967-09	Nipple stud 1 1/2"	DKK	149,00
500000516	5968-09	Nipple stud 2"	DKK	168,00
500000523	5970-09	Hose w/female thread m/oml. 1/2"	DKK	54,00
500000524	5971-09	Hose w/female thread m/oml. 3/4"	DKK	62,00
500000525	5972-09	Hose w/female thread m/oml. 1"	DKK	69,00
500000526	5969-09	Hose w/female thread m/oml. 1 1/4"	DKK	74,00
500000527	5973-09	Hose w/female thread m/oml. 1 1/2"	DKK	106,00
500000528	5974-09	Hose w/female thread m/oml. 2"	DKK	118,00
500000529	5975-09	End sleeve 1"	DKK	59,00
500000530	5976-09	End sleeve 1 1/4"	DKK	59,00
500000531	5977-09	End sleeve 1 1/2"	DKK	98,00
500000532	5978-09	End sleeve 2"	DKK	84,00
500000551	5990-09	Hexagon nipple 1/2"	DKK	25,00
500000552	5991-09	Breast nipple 3/4"	DKK	27,00
500000505	5992-09	Breast nipple 1"	DKK	33,00
500000553	5993-09	Breast nipple 1 1/4"	DKK	40,00
500000554	5994-09	Breast nipple 1 1/2"	DKK	48,00
500000555	5995-09	Breast nipple 2"	DKK	66,00
500000556	6096-09	EPDM gasket t/5940-09+5941-09	DKK	6,75
500000566	6097-09	EPDM pakning t/5943	DKK	52,00
500000557	6098-09	EPDM-gasket t/5944	DKK	9,00
500000558	6099-09	EPDM gasket t/5945-09	DKK	9,00
500000559	6008-09	Hinge for O110	DKK	40,00
500000560	6009-09	Hinge for O112	DKK	40,00
500000561	6016-09	Handle for 0538 and 0540	DKK	66,00
500000565	5854-09	Plug	DKK	136,00

D-1024 Optional assembly of accessories: DKK 400 / hour (divided among the number of units)
 Orders below DKK 3000.00 are added a Handling- and invoice fee of DKK 375.00.
 All prices are ex stock DK-6330 Padborg,

